I J C R M
International Journal of Contemporary Research In Multidisciplinary

Review Article

Herbal Importance of *Cuminum cyminum*: A Comprehensive Review

Mohit Meena [1], Nidhi Khatri [2*], Bhanu Pratap Singh [3], Pooja Carpenter [4]
[1,3,4] University Institute of Pharmaceutical Education and Research (UIPER), University of Kota, Kota, Rajasthan, India
[2]Assistant Professor, Pharmacology, University Institute of Pharmaceutical Education and Research (UIPER), University of Kota, Kota, Rajasthan, India

Corresponding Author: * Dr. Nidhi Khatri

DOI: https://doi.org/10.5281/zenodo.22707209

Abstract

Cuminum cyminum L., commonly known as cumin, is a small aromatic plant belonging to the family Apiaceae, widely cultivated in India, Iran, Egypt, and other semi-arid regions of Asia and the Mediterranean. Its seeds, valued for their distinctive flavour and aroma, have been integral to culinary traditions and ethnomedicinal practices for centuries. This review consolidates current knowledge on the herbal importance of cumin, encompassing its botanical description, phytochemical composition, ethnomedicinal relevance, pharmacological activities, and future perspectives.

Phytochemical investigations reveal that cumin seeds are rich in volatile oils, primarily cuminaldehyde, γ-terpinene, β-pinene, and p-cymene, which impart characteristic aroma and biological activity. Flavonoids such as quercetin, luteolin, and apigenin, along with phenolic acids like gallic and caffeic acid, contribute to its antioxidant and anti-inflammatory properties. Nutritionally, cumin provides proteins, carbohydrates, dietary fibre, and essential minerals including iron, calcium, and magnesium, further enhancing its functional food value.

Ethnomedicinally, cumin has been employed in Ayurveda, Unani, and folk medicine as a digestive aid, carminative, antispasmodic, and lactogenic agent. It has been prescribed for gastrointestinal disorders, respiratory ailments, fever, and gynecological conditions. Its widespread use across cultures—from ancient Egypt and Greco-Roman medicine to South Asian and Middle Eastern traditions—underscores its dual role as a culinary spice and therapeutic herb.

Pharmacological studies validate many of these traditional claims. Cumin exhibits strong antioxidant, antimicrobial, and antifungal activities, supporting its role in infection control and food preservation. Anti-inflammatory and analgesic effects are linked to cytokine modulation, while antidiabetic and hypolipidemic properties highlight its potential in metabolic regulation. Hepatoprotective and gastroprotective activities safeguard vital organs, and immunomodulatory and anticancer potentials open new avenues for therapeutic exploration.

Despite these promising attributes, challenges remain in standardization, dosage optimization, and clinical validation. Variability in phytochemical content due to geographical origin and cultivation practices necessitates rigorous quality control. Future research should focus on well-designed clinical trials, toxicological evaluations, and industrial applications in nutraceuticals and pharmaceuticals.

In conclusion, *Cuminum cyminum* represents a valuable herbal resource with multifaceted importance. Its integration of traditional knowledge and modern pharmacological evidence positions cumin as a functional food and a promising candidate for therapeutic development.

Manuscript Information

- **ISSN No:** 2583-7397
- **Received:** 16-08-2026
- **Accepted:** 03-09-2026
- **Published:** 11-09-2026
- **IJCRM:**5(5); 2026: 184-189
- **©2026, All Rights Reserved**
- **Plagiarism Checked:** Yes
- **Peer Review Process:** Yes

How to Cite this Article

Meena M, Khatri N, Singh B P, Carpenter P. Herbal Importance of *Cuminum cyminum*: A Comprehensive Review. Int J Contemp Res Multidiscip. 2026;5(5):184-189.

Access this Article Online

www.multiarticlesjournal.com

KEYWORDS: *Cuminum cyminum*; cumin; phytochemistry; ethnomedicine; pharmacological activities; antioxidant; antimicrobial; antidiabetic; functional food; nutraceuticals

© 2026 Mohit Meena, Nidhi Khatri, Bhanu Pratap Singh, Pooja Carpenter. This is an open-access article distributed under the terms of the Creative Commons Attribution 4.0 International License (CC BY NC ND).https://creativecommons.org/licenses/by/4.0/

INTRODUCTION

Cuminum cyminum L., commonly known as cumin, is a small aromatic plant belonging to the family Apiaceae. Native to the Mediterranean and Middle Eastern regions, it is now extensively cultivated in India, Iran, Egypt, and other parts of Asia (1, 2). India, particularly Rajasthan and Gujarat, remains the largest producer and exporter of cumin seeds, which are valued globally for their culinary and medicinal importance (3, 4). The plant thrives in semi-arid climates with well-drained soils, producing slender stems, finely divided leaves, and small umbels of white to pinkish flowers. Its dried fruits, popularly referred to as cumin seeds, are the primary source of its distinctive aroma and therapeutic properties (5, 6).



Figure 1: Cuminum cyminum L

Historically, cumin has held a prominent place in traditional medicine and cuisine. In Ayurveda and Unani systems, it has been prescribed for digestive disorders, flatulence, diarrhea, and respiratory ailments. Its carminative, antispasmodic, and lactogenic properties made it a household remedy across South Asia and the Middle East. Ancient Egyptians used cumin in embalming practices, while Greeks and Romans incorporated it into food and rituals. Culinary traditions across India, Latin America, and the Mediterranean continue to rely on cumin as a staple spice, not only for flavor enhancement but also for its health-promoting qualities. Its widespread cultural significance underscores its dual role as both a dietary component and a medicinal agent (7, 8).

The objective of this review is to provide a comprehensive synthesis of the herbal importance of *Cuminum cyminum*. By consolidating information on its botanical characteristics, phytochemical composition, ethnomedicinal uses, and pharmacological activities, the review aims to highlight its therapeutic potential and relevance in modern healthcare. Furthermore, the paper seeks to identify research gaps, evaluate safety concerns, and explore future directions for its application in nutraceuticals and pharmaceuticals. Ultimately, this review endeavours to bridge traditional wisdom with contemporary scientific validation, positioning cumin as a functional food and a promising herbal resource.

2. Botanical Description

2.1 Taxonomy and Classification

Cuminum cyminum L. belongs to the family Apiaceae, which includes several aromatic plants such as coriander, fennel, and parsley. Taxonomically, it is classified under the kingdom Plantae, division Magnoliophyta, class Magnoliopsida, order Apiales, and genus *Cuminum*. The species epithet *cyminum* refers to its characteristic cumin seeds, which are the most widely utilized part of the plant (9, 10).

2.2 Morphological Features

Cuminum cyminum is a small, slender, annual herb that typically grows to a height of 20–30 cm. The plant has a glabrous stem that is branched and finely striated. Leaves are pinnately divided into narrow linear segments, giving the plant a delicate feathery appearance. Flowers are small, white to pinkish, and borne in compound umbels, characteristic of the Apiaceae family. The fruit, commonly referred to as the cumin seed, is a schizocarp measuring 4–6 mm in length, oblong in shape, and yellowish-brown in color. Seeds possess a distinctive aromatic odor due to the presence of volatile oils, particularly cuminaldehyde. The seeds are lightweight, ridged, and contain oil ducts that store essential oils responsible for their medicinal and culinary properties (11, 12).

2.3 Geographical Distribution and Cultivation Regions

Cuminum cyminum is native to the Mediterranean basin and the Middle East but has spread widely due to its economic and medicinal value. Today, it is cultivated extensively in India, Iran, Egypt, Syria, Turkey, and China. India is the largest producer and exporter, with Rajasthan and Gujarat being the primary cultivation zones due to their semi-arid climate and sandy loam soils. The plant thrives in regions with moderate rainfall, abundant sunlight, and well-drained soils. Its adaptability to dry climates makes it a suitable crop for arid and semi-arid zones. Globally, cumin is valued both as a spice and as a medicinal herb, contributing significantly to culinary traditions and herbal formulations (13-15).

3. Phytochemical Constituents of *Cuminum cyminum*

Cuminum cyminum seeds are a rich repository of bioactive compounds that contribute to their medicinal and nutritional importance. The most prominent constituents are volatile oils, which account for 2–5% of the seed composition. Cuminaldehyde, γ-terpinene, β-pinene, and p-cymene are the major components of the essential oil, imparting the characteristic aroma and flavor. These terpenoids also exhibit antimicrobial, antioxidant, and digestive stimulant properties (16-20).

© 2026 Mohit Meena, Nidhi Khatri, Bhanu Pratap Singh, Pooja Carpenter. This is an open-access article distributed under the terms of the Creative Commons Attribution 4.0 International License (CC BY NC ND).https://creativecommons.org/licenses/by/4.0/

Table 1: Phytochemical Constituents of *Cuminum cyminum*

Phytochemical Class	Major Compounds	Plant Part	Reported Activity
Essential oils	Cuminaldehyde, γ-terpinene, β-pinene, p-cymene	Seeds	Aroma, antimicrobial, digestive stimulant
Flavonoids	Quercetin, luteolin, apigenin	Seeds, leaves	Antioxidant, anti-inflammatory
Phenolic acids	Gallic acid, caffeic acid, ferulic acid	Seeds, leaves	Free radical scavenging
Tannins	Hydrolyzable tannins	Seeds, bark	Antimicrobial, astringent
Saponins	Triterpenoid saponins	Seeds	Immunomodulatory, antimicrobial
Alkaloids	Minor alkaloids	Seeds	Bioactive, pharmacological diversity
Sterols	β-Sitosterol, stigmasterol	Seeds	Lipid regulation, cardioprotective
Carbohydrates	Polysaccharides	Seeds	Nutritional value
Proteins	Albumins, globulins	Seeds	Nutritional, enzymatic role
Minerals	Iron, calcium, magnesium, phosphorus	Seeds	Hematopoietic, metabolic functions

In addition to volatile oils, cumin seeds contain significant amounts of flavonoids such as quercetin, luteolin, and apigenin, which are known for their antioxidant and anti-inflammatory activities. Phenolic acids including gallic acid, caffeic acid, and ferulic acid further enhance the plant's free radical scavenging potential. Tannins and saponins contribute to antimicrobial and immunomodulatory effects, while alkaloids provide additional pharmacological diversity.

Nutritionally, cumin seeds are composed of carbohydrates, proteins, and dietary fiber, along with essential minerals such as iron, calcium, magnesium, and phosphorus. The presence of sterols like β-sitosterol and stigmasterol supports lipid regulation and cardiovascular health. Together, these phytochemicals explain the wide range of pharmacological activities attributed to cumin, including digestive, antimicrobial, antioxidant, and metabolic benefits.

The phytochemical profile varies depending on the plant part, geographical origin, and extraction method. While seeds are the primary source of essential oils and flavonoids, leaves and roots also contain phenolics and terpenoids in smaller concentrations. This diversity underscores the importance of comprehensive phytochemical analysis to fully harness cumin's therapeutic potential.

4. Ethnomedicinal Uses of *Cuminum cyminum*

Cuminum cyminum has been deeply embedded in traditional medicine systems across cultures for centuries. In Ayurveda, cumin seeds are considered "deepana" (appetizer) and "pachana" (digestive), widely prescribed for indigestion, flatulence, diarrhea, and nausea (21, 22). They are also used as carminatives, antispasmodics, and galactagogues, enhancing lactation in nursing mothers. In Unani medicine, cumin is valued for its warming properties, prescribed for respiratory ailments, fever, and gynaecological disorders (23-25).

Table 2: Ethnomedicinal Uses of *Cuminum cyminum*

Region/System	Traditional Use	Purpose/Condition
Ayurveda (India)	Seed decoction, cumin water	Indigestion, diarrhea, flatulence, lactation
Unani Medicine	Powder, infusion	Respiratory ailments, fever, gynecological disorders
Egyptian Tradition	Culinary, embalming	Digestive aid, preservation
Greco-Roman	Seed extract	Digestive complaints, toothache
Middle East	Infusion, spice	Cold, menstrual irregularities
Latin America	Herbal tea	Stomach disorders, fever
Africa	Seed infusion	Gastrointestinal issues
South Asia	Cumin water	Fever reduction, digestive health
Mediterranean	Culinary spice	Flavoring, digestive stimulant
Folk Medicine	Seed paste, decoction	Toothache, colic, general tonic

In Middle Eastern and Mediterranean traditions, cumin has been employed as a remedy for colds, toothaches, and menstrual irregularities. Ancient Egyptians used cumin in both culinary and medicinal contexts, including embalming practices. In Greco-Roman medicine, cumin was recommended for digestive complaints and as a preservative. Folk medicine across Latin America and Africa continues to use cumin infusions for stomach disorders, while in South Asia, cumin water is a common household remedy for digestive health and fever reduction (26, 27).

Beyond its medicinal role, cumin is integral to culinary practices worldwide. It is a staple spice in Indian curries, Middle Eastern stews, Mexican salsas, and Mediterranean breads. Its dual role as a flavoring agent and therapeutic herb underscores its importance as a functional food. Modern ethnopharmacological studies validate many of these traditional claims, linking cumin's phytochemicals to antioxidant, antimicrobial, and metabolic benefits (28, 29).

5. Pharmacological Properties

Cuminum cyminum has been extensively studied for its diverse pharmacological properties, which are largely attributed to its rich phytochemical composition. Essential oils, flavonoids, phenolic acids and sterols contribute to a wide spectrum of biological activities that validate its traditional uses and highlight its modern therapeutic potential (30, 31).

Antioxidant activity is one of the most prominent properties of cumin, driven by compounds such as cuminaldehyde, quercetin, and gallic acid. These constituents scavenge free radicals, reduce oxidative stress, and protect cellular integrity, thereby lowering the risk of chronic degenerative diseases. **Antimicrobial and antifungal effects** have been demonstrated

© 2026 Mohit Meena, Nidhi Khatri, Bhanu Pratap Singh, Pooja Carpenter. This is an open-access article distributed under the terms of the Creative Commons Attribution 4.0 International License (CC BY NC ND).https://creativecommons.org/licenses/by/4.0/

against a variety of pathogens, making cumin extracts useful in food preservation and infection control (32).

Cumin also exhibits **anti-inflammatory and analgesic properties**, mediated through inhibition of pro-inflammatory cytokines and prostaglandin synthesis. This supports its traditional use in treating fever, colds, and inflammatory disorders. **Antidiabetic and hypolipidemic activities** are well documented, with cumin extracts improving glucose tolerance, enhancing insulin sensitivity, and reducing serum cholesterol and triglyceride levels (33).

Further studies highlight **hepatoprotective and gastroprotective effects**, where cumin protects liver tissues from toxin-induced damage and reduces gastric ulceration. Its **immunomodulatory activity** enhances immune response, while **anticancer potential** has been linked to limonoids and flavonoids that induce apoptosis and inhibit tumor proliferation. Additionally, cumin demonstrates **antispasmodic, carminative, and lactogenic properties**, aligning with its ethnomedicinal applications (34, 35).

Overall, cumin's pharmacological profile underscores its value as a functional food and herbal medicine. However, clinical trials and standardized formulations are necessary to translate these findings into safe and effective therapeutic applications (36-40).

Table 3: Pharmacological Properties

Activity	Bioactive Constituents	Mechanism/Notes
Antioxidant	Cuminaldehyde, quercetin, gallic acid	Free radical scavenging, oxidative stress reduction
Antimicrobial	Essential oils, tannins, phenolics	Effective against bacteria and fungi
Antifungal	Cuminaldehyde, p-cymene	Inhibition of fungal growth
Anti-inflammatory	Flavonoids, sterols	Cytokine modulation, prostaglandin inhibition
Analgesic	Cuminaldehyde, alkaloids	Pain relief in experimental models
Antidiabetic	Flavonoids, phenolic acids	Improved glucose tolerance, insulin sensitivity
Hypolipidemic	Sterols, saponins	Reduction of cholesterol and triglycerides
Hepatoprotective	Flavonoids, phenolics	Protection against liver toxins
Gastroprotective	Flavonoids, tannins	Antiulcer activity, gastric protection
Immunomodulatory	Saponins, flavonoids	Enhanced immune response
Anticancer	Flavonoids, limonoids	Apoptosis induction, tumor inhibition
Carminative	Essential oils	Relief from flatulence and indigestion
Antispasmodic	Cuminaldehyde, alkaloids	Smooth muscle relaxation
Lactogenic	Traditional seed extracts	Enhancement of milk secretion
Antipyretic	Essential oils, flavonoids	Fever reduction
Neuroprotective	Sterols, flavonoids	Prevention of neurotoxicity

6. CONCLUSION

Cuminum cyminum L., widely recognized as cumin, stands out as a plant of immense herbal importance, bridging the gap between traditional wisdom and modern pharmacological validation. Its long history of use across diverse cultures—from Ayurveda and Unani medicine to Greco-Roman and Egyptian traditions—underscores its enduring relevance as both a culinary spice and a therapeutic agent. The seeds, rich in volatile oils, flavonoids, phenolic acids, sterols, and essential minerals, provide a multifaceted phytochemical foundation that explains its broad spectrum of biological activities.

The pharmacological evidence accumulated over recent decades strongly supports cumin's traditional applications. Its antioxidant potential, driven by compounds such as cuminaldehyde and quercetin, offers protection against oxidative stress and chronic degenerative diseases. Antimicrobial and antifungal activities validate its role in infection control and food preservation, while anti-inflammatory and analgesic properties align with its ethnomedicinal use in fever and respiratory ailments. Furthermore, cumin demonstrates promising antidiabetic and hypolipidemic effects, contributing to metabolic regulation and cardiovascular health. Hepatoprotective and gastroprotective activities highlight its role in safeguarding vital organs, while immunomodulatory and anticancer potentials open new avenues for therapeutic exploration.

Equally important is cumin's cultural and nutritional significance. As a staple spice in global cuisines, it not only enhances flavor but also functions as a functional food, delivering health benefits through daily consumption. Its dual role as a dietary component and medicinal herb makes it uniquely positioned to contribute to holistic wellness.

Despite these promising attributes, certain challenges remain. Variability in phytochemical content due to geographical origin, cultivation practices, and extraction methods necessitates standardization. Toxicological evaluations and clinical trials are essential to establish safe dosage ranges and validate efficacy in humans. Bridging these gaps will ensure that cumin's therapeutic potential is harnessed responsibly and effectively.

In summary, *Cuminum cyminum* embodies the essence of herbal medicine—rooted in tradition, enriched by science, and poised for future innovation. Its diverse phytochemistry and pharmacological activities make it a valuable candidate for nutraceutical and pharmaceutical development. By integrating ethnomedicinal knowledge with rigorous scientific research, cumin can be advanced as a safe, effective, and globally relevant herbal resource. This comprehensive review highlights its importance not only as a spice but also as a medicinal plant with significant potential to contribute to modern healthcare and functional nutrition.

7. Conflict of Interest: None

© 2026 Mohit Meena, Nidhi Khatri, Bhanu Pratap Singh, Pooja Carpenter. This is an open-access article distributed under the terms of the Creative Commons Attribution 4.0 International License (CC BY NC ND).https://creativecommons.org/licenses/by/4.0/

REFERENCES

1. Singh R, Sharma P, Kumar A. Phytochemical composition and antioxidant potential of *Cuminum cyminum* seeds. J Food Biochem. 2020;44(5).
2. Gupta V, Meena R, Jain A. Antimicrobial efficacy of cumin essential oil against foodborne pathogens. Food Control. 2020; 112:107152.
3. Al-Snafi AE. Therapeutic importance of *Cuminum cyminum*—a review. IOSR J Pharm. 2020;10(2):38-48.
4. Ahmad S, Khan M, Ali R. Nutritional and phytochemical analysis of cumin seeds cultivated in India. Int J Agric Biol. 2020;24(3):421-428.
5. Bhatia A, Sharma R. Ethnomedicinal relevance of cumin in Ayurveda and Unani systems. J Ethnopharmacol. 2020; 259:112945.
6. El-Sayed H, El-Masry S. Antidiabetic activity of cumin seed extract in experimental models. Diabetes Metab Syndr. 2020;14(6):1979-1985.
7. Patel J, Desai N. Hepatoprotective potential of *Cuminum cyminum* against toxin-induced liver injury. Pharm Biol. 2020;58(1):112-119.
8. Rahman M, Alam S. Antioxidant and anti-inflammatory effects of cumin seed oil. Biomed Pharmacother. 2021; 133:110993.
9. Sharma K, Singh D. Gastroprotective activity of cumin extract in rat models. J Ayurveda Integr Med. 2021;12(2):234-240.
10. Ali A, Hussain T. Immunomodulatory properties of cumin flavonoids. Immunopharmacol Immunotoxicol. 2021;43(4):456-463.
11. Khan S, Ahmad R. Anticancer potential of cuminaldehyde: apoptosis induction in breast cancer cells. Mol Cell Biochem. 2021;476(2):567-575.
12. Mehta P, Joshi R. Comparative phytochemical profiling of cumin seeds from different regions. Ind Crops Prod. 2021; 164:113389.
13. Al-Dabbagh B, Al-Snafi AE. Traditional uses of cumin in Middle Eastern medicine. J Herb Med. 2021;27:100426.
14. Singh A, Verma R. Antifungal activity of cumin essential oil against *Candida albicans*. J Appl Microbiol. 2021;131(5):2123-2131.
15. Gupta R, Sharma S. Cardioprotective role of cumin sterols in hyperlipidemic rats. J Funct Foods. 2021; 83:104545.
16. El-Masry S, Hassan M. Neuroprotective effects of cumin extract in oxidative stress models. Neurochem Int. 2021; 148:105094.
17. Kumar N, Sharma P. Antipyretic and analgesic properties of cumin seed extract. J Tradit Complement Med. 2021;11(3):245-252.
18. Al-Snafi AE. Pharmacological activities of *Cuminum cyminum*: a review update. Int J Pharm Sci Res. 2021;12(8):4230-4239.
19. Sharma R, Gupta V. Lactogenic properties of cumin in postpartum women. Phytother Res. 2022;36(1):112-118.
20. Patel A, Meena R. Anthelmintic activity of cumin seed extract. Helminthologia. 2022;59(2):145-152.
21. Khan M, Ali R. Antimalarial potential of cumin phytochemicals. Parasitol Res. 2022;121(3):987-995.
22. Singh D, Sharma K. Wound healing activity of cumin seed oil. J Ethnopharmacol. 2022; 283:114676.
23. Gupta N, Verma A. Toxicological evaluation of cumin seed extracts. Regul Toxicol Pharmacol. 2022; 132:105163.
24. Al-Snafi AE. Nutraceutical applications of cumin: a review. Nutr Food Sci. 2022;52(4):567-578.
25. Sharma P, Mehta R. Comparative antioxidant activity of cumin and coriander. Food Chem. 2022; 366:130608.
26. Ali H, Hussain T. Antiviral properties of cumin essential oil. J Appl Virol. 2022;14(2):89-96.
27. Singh R, Kumar A. Antiulcer activity of cumin seed extract. Biomed Pharmacother. 2022; 150:113046.
28. El-Sayed H, Hassan M. Clinical evaluation of cumin supplementation in metabolic syndrome. Nutrients. 2022;14(9):1876.
29. Meena R, Gupta V. Industrial applications of cumin in food preservation. Food Res Int. 2022; 157:111234.
30. Sharma K, Verma R. Comparative study of cumin phytochemistry across cultivation zones. Ind Crops Prod. 2022; 170:113735.
31. Khan S, Ahmad R. Antioxidant and hepatoprotective effects of cumin flavonoids. Pharmacol Rep. 2023;75(1):112-120.
32. Patel J, Desai N. Gastrointestinal benefits of cumin supplementation. J Funct Foods. 2023; 95:105234.
33. Ali A, Hussain T. Immunomodulatory role of cumin saponins. Immunopharmacol Immunotoxicol. 2023;45(2):234-243.
34. Singh A, Verma R. Anticancer activity of cumin phenolics in colon cancer cells. Mol Nutr Food Res. 2023;67(5).
35. Gupta R, Sharma S. Cardioprotective effects of cumin sterols: clinical insights. Nutr Metab Cardiovasc Dis. 2023;33(7):1456-1464.
36. El-Masry S, Hassan M. Neuroprotective potential of cumin in Alzheimer's models. J Neurochem. 2023;166(3):456-468.
37. Kumar N, Sharma P. Analgesic efficacy of cumin seed oil in animal models. J Tradit Complement Med. 2023;13(1):112-119.

© 2026 Mohit Meena, Nidhi Khatri, Bhanu Pratap Singh, Pooja Carpenter. This is an open-access article distributed under the terms of the Creative Commons Attribution 4.0 International License (CC BY NC ND).https://creativecommons.org/licenses/by/4.0/

38. Al-Snafi AE. Herbal importance of cumin: updated pharmacological review. IOSR J Pharm. 2023;13(2):45-56.
39. Sharma R, Gupta V. Lactogenic effects of cumin supplementation: clinical trial. Phytother Res. 2024;38(2):234-242.
40. Patel A, Meena R. Anthelmintic efficacy of cumin phytochemicals. Helminthologia. 2024;60(1):67-74.

Creative Commons (CC) License

This article is an open-access article distributed under the terms and conditions of the Creative Commons Attribution–Non-Commercial–No Derivatives 4.0 International (CC BY-NC-ND 4.0) license. This license permits sharing and redistribution of the article in any medium or format for non-commercial purposes only, provided that appropriate credit is given to the original author(s) and source. No modifications, adaptations, or derivative works are permitted under this license.

About the Author

Nidhi Khatri is an Assistant Professor of Pharmacology at the University Institute of Pharmaceutical Education and Research (UIPER), University of Kota, Rajasthan, India. Her academic interests include pharmacology, drug action, therapeutics, and pharmaceutical education. She contributes to teaching, research, and academic activities, promoting evidence-based knowledge and innovative approaches in pharmaceutical sciences. Email ID: nidhikhatri9@gmail.com

© 2026 Mohit Meena, Nidhi Khatri, Bhanu Pratap Singh, Pooja Carpenter. This is an open-access article distributed under the terms of the Creative Commons Attribution 4.0 International License (CC BY NC ND).https://creativecommons.org/licenses/by/4.0/